

Metadata for Tidal Data Exchange

Station Name **Solomon Islands**

Date of Supply Tuesday, 7 December 2010

Identification	
Station Number	BoM=200859 ATT=5667 WMO=91519
Name	Solomon Islands
Latitude and Estimated Positional Uncertainty	-9.4289 +/- 3m
Longitude and Estimated Positional Uncertainty	159.9555 +/- 3m
Map Name	
Map Number	
Map Grid Northing	
Map Grid Easting	
Type of Readings	
Heights Streams Streams Constituent constants (Delete those not applicable)	Observations
Progress *	
Update Frequency *	Real Time
Available Format Type *	DIGITAL, text
Measurement Units	
Tidal Heights Tidal Streams (Delete those not applicable)	metres
Reference Frame	
Time Zone Vertical Reference Frame TGBM Name/Number TGBM Elevation relative to the vertical reference Estimated Positional Uncertainty Horizontal Reference Frame Direction of Stream Readings Depth of Stream Readings (relative to Vertical Reference Frame) Estimated Positional Uncertainty	UTC MSL +/- 2mm Geodetic Datum of Aust (GDA94) +/-
Search Words *	Marine, Oceanography, Water, Solomon Islands
Data Owner Details	
Name	National Tidal Centre
Postal Address	PO Box 421, Kent Town, SA 5071
Street Address	25 College Road, SA 5071
Telephone	08 8366 2730
Facsimile	08 8366 2651
Email	ntc@bom.gov.au
Internet	www.bom.gov.au/oceanography
Contact Officer Details	
Name	Paul Davill
Position	Data Manager
Telephone	08 8366 2730
Email	ntc@bom.gov.au
Data Custodian Details	

Metadata for Tidal Data Exchange

Station Name **Solomon Islands**

Date of Supply Tuesday, 7 December 2010

Name	National Tidal Centre
Postal Address	PO Box 421, Kent Town, SA 5071
Street Address	25 College Road, SA 5071
Telephone	08 8366 2730
Facsimile	08 8366 2651
Email	ntc@bom.gov.au
Internet	www.bom.gov.au/oceanography
Contact Officer Details	
Name	Paul Davill
Position	Data Manager
Telephone	08 8366 2730
Email	ntc@bom.gov.au
Details of the Readings Provided Herewith	
Date of readings supplied	
From	Jul-94
To	Current
The time interval between readings (If the readings are for high & low water then enter "Zero")	1-minute (average of 60, 1-second samples) 6-minutes (weighted average of 4, 1-minute readings) Hourly (filtered with a cut-off of 2 hours)
Are the readings averaged or filtered	See above. 1-minute samples are logged at the end of each minute, 6-minute centred on 0.1-hour increments
Are there any access constraints (such as commercial-in-confidence or constraint on the use or distribution to third parties).	No
Objective Quality Assessment of Tidal Observations (Height or Stream)	
Instrument	
Type	Sutron 9000
Make	
Model	
Sensor	
Type	Acoustic-in-air sensor
Make	Aquatrak® Transducer
Model	Aquatrak NG XCR
Mode of operation	RS-232
Frequency of System Calibrations	
Field calibration and	every 18 months
Laboratory calibration	every 18 months
Frequency of Water Level Checks	
Estimate of the Precision of the Water Level Checks	
Time (Std Dev in Minutes)	1mm +/-
Height (Std Dev in metres)	
System Resolution	
Estimated Local Uncertainty	
Status of the Readings	
Description of the validation process including a statement detailing how:-	
1. The instrumental biases were treated	Standard deviations
2. Outliers were selected and dealt with	Reported
3. Breaks in the record were dealt with	Recovered where possible
Date of Validation	Checked each month, for previous month
Name of Person certifying the validation	NTC Data Analysis Department

Metadata for Tidal Data Exchange

Station Name **Solomon Islands**

Date of Supply Tuesday, 7 December 2010

Details required with the supply of tidal constituent constants	
All of the details required above	
The name and version of the software used to calculate the constants	TANS
The tidal constituent model used (particularly noting the treatment of the constituents Sa and Ssa) and specifying any related (inferred) constituent constants	Doodson's method
The date span used to prepare the constituent constants	1985-2007 (for 2010)
The reference time zone for the constituents	Local (-1100)
The vertical datum to which the constituents apply	1.964m below MBM 001 or 0.204 above TGZ
A precision estimate of predictions based on the constituent constants (for example, standard deviation of the analysis residuals)	Standard Deviation is 0.167
Additional details required with the supply of tidal predictions	
All of the details required above	
A statement describing the tidal prediction process used	Doodson's method
The name and version of the software used to calculate the predictions	Tipp4
A list of the constituent constants used or if the list is not provided, the donor agency's identifier of the list	Standard 112 Constituent list

Comments on data by Port Authority

- South Pacific Sea Level Climate Monitoring Program (SPSLCMP)